



Imerys introduces new product Hydrite TS 90 for paint and coatings

Imerys Kaolin is proud to present its latest innovative product design Hydrite TS 90. A calcined clay that has been designed to provide excellent opacity due to the spacing of its pigment particles and to limit the impact on gloss reduction when used in high & semi gloss solvent & water based coatings. Coupled with high tint strength, excellent top cut and the finest particle size on the market makes it an excellent choice for your paint formulations.

More information about this new kaolin product can be found www.imerys-kaolin.com and at the Imerys booth #2461 at the American Coatings Show.

About Imerys Group

The world leader in mineral-based specialty solutions for industry, with €4.1 billion revenue and 16,130 employees in 2015, Imerys transforms a unique range of minerals to deliver essential functions (heat resistance, mechanical strength, conductivity, coverage, barrier effect, etc.) that are essential to its customers' products and manufacturing processes.

Whether mineral components, functional additives, process enablers or finished products, Imerys' solutions contribute to the quality of a great number of applications in consumer goods, industrial equipment or construction. Combining expertise, creativity and attentiveness to customers' needs, the Group's international teams constantly identify new applications and develop high value-added solutions under a determined approach to responsible development. These strengths enable Imerys to develop through a sound, profitable business model. (www.imerys.com)

Press Contact: Cindy Stoutenborough: 408-643-0210 e: cindy.s@imerys.com

Hydrite TS 90

APPLICATIONS

• Water based gloss & semi-gloss architectural coatings



A functional additive designed to maximize the tint strength in gloss & semi-gloss waterbased architectural coatings

Hydrite TS 90 FEATURES

- Steep, narrow particle size distribution
- Excellent top cut

Hydrite TS 90 BENEFITS


Maximized tint strength


Hydrite TS 90 FORMULATION GUIDE

 Gloss & semi gloss water based architectural coatings: directly replace up to 10% TiO₂ with an equivalent volume of Hydrite TS 90S

Hydrite TS 90 TYPICAL APPLICATIONS

 Water based gloss & semi-gloss architectural coatings





IMERYS KAOLIN

100 Mansell Court East - Suite 300 - Roswell - Georgia - 30076 - USA Tel: +1 800 843 3222 | www.imerys-kaolin.com

Although the information in this document is believed to be accurate, it is presented without warranty of any kind and Imerys assumes no liability with respect to its use. No licence to any intellectual property right is granted or implied. Statements or suggestions concerning possible use are made without representation or warranty that any such use is free of patent infringement, and are not to be construed as suggestions or inducements to infringe any patent.