Improving the 3 pillars of suncare formulation with one ingredient

Sustainable Cellulose by Sappi

Kulvinder Kaur / Head of Sales Personal Care Ellie Copsey / Personal Care Applications Specialist Sappi Biotech 11 March 2025



At a glance Sappi group

Sappi North America

Sales offices

Production facilities

sappi

12,495

employees in 20 countries

customers in over

150 countries

Sappi Trading

8 Sales offices
Bogotá
Hong Kong
Johannesburg
México City
Nairobi
São Paulo
Shanghai

Sydney

Sappi Europe

- 10 Production facilities
- Sales offices

Sappi Southern Africa

- 5 Production facilities
- 6 Sales offices

2



Global Sappi commitment to reduce carbon emissions by 41% per tonne by 2030



54% of Sappi global energy used is renewable clean energy; 76% from own biomass



Sappi Maastricht Mill switched to e-boiler – saving 22,000 tons of Carbon from the atmosphere



Achieved Ecovadis rating of platinum in 2024, 100/100 in environmental score!



'We grow wood-fibre responsibly.'


Unlocking the power of trees

sappi


Packaging and Speciality Papers Product Packaging, Technical papers **Graphic Papers**Commercial Print,
Publishing

Casting and Release Papers
Textures for materials,
Functional films, Automotive wraps

Xylitol, Furfural, and
Chemicals from Sugars
Low-calorie Sweetener,
Toothpaste, Recyclable Plastics









Verve
Textiles, Cellophane,
Pharmaceuticals



Valida Fibrillated Cellulose Rheology modifier, Stabiliser, Foam booster, SPF booster, Sensory enhancer



Chemicals from Lignin
Binding Agent, Dispersion
Agent, Emulsion Stabiliser

Fibrillated Cellulose - Valida

Cellulose is the most abundant organic polymer on Earth!



Format

3% or 8% fibers in water, with preservative INCI: Cellulose and/or Cellulose Gum



Sustainability

Natural Renewable & Biodegradable FSC, PEFC



Certification

Meets Clean list criteria COSMOS, Leaping Bunny REACH Exempt, NMPA (China approved) ISO Naturality > 0,99



Ease-of-Use

pH and electrolyte tolerant Cold processable Pre-Hydrated & Pumpable



Valida is Fibrillated Cellulose

Mechanical processing → strong 3D network



No chemical treatment or modification of cellulose polymer

→ natural and fully biodegradable

sapp




What sets Valida apart from other Celluloses?



Valida's Processing versus other Cellulose

sappi









To Fibrillated Cellulose.

No Chemical treatment!


Mechanical Fibrillation




Acid Treatment
To Micro- Crystalline Cellulose.



	Valida S+	Microcrystalline Cellulose	Cellulose Gum	Xanthan Gum	Carbomer
Origin	Natural	Natural	Natural	Natural	Synthetic
Charge	Non-ionic	Anionic	Anionic	Anionic	Anionic
Suspension	+++	-	-	++	+++
Stability without viscosity	+++	-	+	-	-
Thixotropic	+++	+	-	++	-
Sprayability	+++	-	-	++	. /
pH tolerance	3-12	4-11	7-9	3-12	5-8
Electrolyte tolerance	+++	+	-	++	-
Skin feel	+++	+	-	-	+++







Foam Boosting
Foam Modifier (Denser, Creamier)
Surfactant thickening
Conditioning effect

Stability without Viscosity
Suspension Capability
SPF Boosting
Sprayable

Emulsifier-free O/W systems
Soft focus blurring effect
Sensory modifier
Enhanced pick up and spreadability



sappi

Which UV filter type do you most commonly work with?

- 1. Chemical / organic
- 2. Mineral / inorganic
- 3. Hybrid



	SPF Efficacy	Stability	Sensory	
Strategies				
Emulsion type	W/O		O/W	
Reducing emulsifier level	-	-	+	
Increase UV Filter Level	+	-	-	
Ensuring sufficient oil level	+	+/-	-	
Addition of a thickener	+	+	-	
Addition of fatty alcohols	+	+	-	
Using SPF Boosters	+	+	+	

Which suncare pillar is the most challenging for you?

- 1. Stability
- 2. SPF efficacy
- 3. Sensory
- 4. Other type into the Q&A!





sappi



sappi



Stability without viscosity

Particle Suspension Emulsion stabilisation



Rheology

Thixotropic Sprayable



Robust


pH tolerant Electrolyte tolerant Non-ionic High compatibility

What are you currently using to stabilise your SPF formulation?

- 1. Cellulose
- 2. Gums e.g. Xanthan, guar
- 3. Clays e.g. Bentonite, silicates
- 4. High emulsifier level
- 5. Other type into Q+A!

Valida's Suspensive Capabilities

sappi




Compared to other Celluloses on the market, Valida provides superior suspensive capabilities.


Valida S+ = fibrillated cellulose (INCI: Cellulose)
CMC = Carboxymethyl Cellulose (INCI: Cellulose Gum)

MCC = Microcrystalline Cellulose

5% o/w emulsion No Valida fibers, No Emulsifiers



5% o/w emulsion 0,4% Valida fibers, No Emulsifiers





Valida S+ and S+ CS3 has a HLB of 4
Works alone if HLB matched,
or combined with xanthan gum for stabilising emulsifier-free systems independent of HLB



Thixotropic Rheology

Improved pick-up
Enhanced spreadability
Reduced drag
Stability without Viscosity



Visible benefits

Soft focus effect Reduces greasiness and shine



Sensorial experience

Reduces tackiness Reduces pilling Reduces soaping




sappi

What are you currently using to improve the sensory of your SPF formulation?

- 1. Silicones
- 2. Sensory powders e.g. Boron Nitride, Silica
- 3. Emollient selection and loading
- 4. Rheology modifiers
- 5. Other type into Q+A!

Valida's Sensorial Profile

sappi





Valida's Soft Focus Effect

sappi





0,4% Active Fiber Content of Valida S+ shows immediate wrinkle blurring and softening effect!





On request.



sappi



SPF Boosting

Up to ~25% boost in SPF Up to ~25% boost in UVAPF No change to ratio



Performance

Even distribution of UV filters Uniform film formation Improves spreadability Rapid recovery of film



Sensorial improvements


Allows for reduced filter level, further improving sensory and reducing whitening


What are you currently using to boost your SPF value?

- 1. SPF boosters
- 2. Film-formers
- 3. Waxes
- 4. Antioxidants
- 5. Other type into Q+A!

SPF and **UVAPF** Boosting

sappi








Up to 25% boost in SPF and UVAPF at 0.4% Active Fiber Content of Valida






On request.



Good spreadability
Thixotropic (fast recovery)
Even distribution of actives

GOOD FILM FORMATION

HIGH SPF



Poor spreadability
Slow recovery
Uneven distribution of actives


V
POOR FILM FORMATION

LOW SPF



Benefits of Valida in Suncare

sappi



SPF Efficacy



EXAMPLE FORMULATION



Phase	Ingredient	INCI	Function	Benchmark % w/w	Valida % w/w
Α	Deionised Water	Aqua	Carrier	To 100	To 100
	Glycerin	Glycerin	Humectant	1.00	1.00
	Valida S+ CS-3 ₁	Aqua, Cellulose, Cellulose Gum, Sodium Benzoate, Citric Acid	Stabiliser, SPF Booster, Sensory enhancer	-	8.00
	Benchmark	Acrylates/Beheneth-25 Methacrylate Copolymer	Stabiliser	1.30	-
	NaOH 20% Soln.	Sodium Hydroxide	pH Adjuster	0.50	-
	Crodafos CS20A 2	Cetearyl Alcohol, Ceteth-20 Phosphate, Dicetyl Phosphate	Emulsifier	2.50	2.50
В	Cithrol GMS 40 SE 2	Glyceryl Stearate SE	Emulsifier	0.50	0.50
	Mfsorb 502 3	Butyl Methoxydibenzoylmethane	UV Filter	5.00	5.00
	Mfsorb 104 3	Octocrylene	UV Filter	5.50	5.50
	Mfsorb 503 з	Ethylhexyl Salicylate	UV Filter	4.00	4.00
	Mfsorb 504 3	Homosalate	UV Filter	7.00	7.00
	Mfsorb 507 з	Ethylhexyl Triazone	UV Filter	1.50	1.50
	Mfsorb 509 з	Bis-Ethylhexyloxyphenol Methoxyphenyl Triazine	UV Filter	4.00	4.00
	Crodamol AB 2	C12-15 Alkyl Benzoate	Emollient	3.50	3.50
С	Sunboost ATB Natural 4	Argania Spinosa Kernel Oil, Tocopheryl Acetate, Bisabolol	SPF Booster	1.00	1.00
	Euxyl PE9010 5	Phenoxyethanol, ethylhexylglycerin	Preservative	0.80	0.80
D	NaOH 20% Soln.	Sodium Hydroxide	pH Adjuster	QS	QS

Summary of Valida's Properties

sappi

Robust

- pH and Electrolyte tolerant
- Non-ionic

Sustainable

- Natural, Biodegradable and Renewable
- FSC and PEFC Certified
- Cold-process

Rheology

- · Suspend particles without thickening
- Thixotropic, resulting in non-drip sprays

Sensory

- Create non-tacky, non-greasy formulations
- Redcues soaping and/or pilling

Multifunctional

- · Stabilise emulsions without emulsifier
- SPF Boosting
- Foam boosting
- Reduces TEWL







Visit us at InCosmetics Booth 5F96

Thank you!